



The multi-purpose label may be used in a broad spectrum of applications, for example, in libraries, the pharmaceutical industry or for the security of important documents. With the appropriate reading technology, objects can be traced, inventoried and protected.

Multi-purpose Label – Datasheet



L - Length 25 - 200 mm
 W - Width 25 - 105 mm
 Thickness 150 - 500 µm
 (150 - 500 g/m²)



Exemplary Model

Technology	Product dimensions	54 x 85.6 mm
	Material	Paper / Film
	Integrated circuit	Texas Instruments
	Operating frequency	13.56 MHz
	Serial number	64 bit
	User memory	256 bit
	Antenna size	45 x 76 mm
	Technology	Tag-it HF-I Pro
	Operating distance	Up to 1 m
	Printability	Thermal transfer
Rec. Operating temperature	-20°C up to +70°C	
Rec. Storage temperature	20°C ± 5°C	
Delivery form	Reel / max 600 mm	
Core	76 mm diameter	
Packaging	Reels individually packaged in cartons	

On request, the label will be pre-printed, or printed by the customer. Depending on the field of application, many combinations of shape and memory are possible. Depending on the field of application, many combinations of shape and memory are possible.

In a 100% quality control, all labels are checked for readability of the chips and defective ones marked as necessary.

Based on the exemplary model, the optimal technical parameters according to the respective customer requirements are established and implemented. Our laboratories analyze and certify these parameters under practical conditions. The technical possibilities within our company instigate a broad range of choices that can fulfill almost every requirement.